ECHELON PLUS® ORNAMENTAL ALUMINUM FENCE

Echelon Plus has taken the quality and performance of aluminum ornamental fencing to a higher level. The strength characteristics of the reinforced rail and posts, coupled with a superior powder coat finish, make Echelon Plus the most durable .75" ornamental picket product on the market. The sleek design and superior quality of Echelon Plus is International Building Code (IBC) compliant.

NAL BUILD

- Exceeds all IBC 2018 Handrail & Guards load requirements
- Standard 8 ft. panels yield project savings
- Redesigned rail for increased strength and maximum load capacity



AMERISTARFENCE.COM | 888-333-3422 Experience a safer and more open world AMERISTAR

MIN



ECHELON PLUS®

PICKETS

RAILS

1.4375" x 1.25" x (.110" SIDE / .090" TOP) .75" SQ. x .045" **FORERUNNER® RAILS**

POSTS

HEIGHTS

2.5" SQ. x .060" With reinforced internal web. 3', 31/2', 4', 41/2', 5', 6' Custom heights also available.

STYLES







Note: Classic, Majestic, Genesis & Warrior 3- & 4-rail panels are IBC compliant.


GENESIS™





FORERUNNER® LOCKING SYSTEM

Ameristar reengineered the Echelon Plus ForeRunner rail for optimal performance and strength. The center rib on the reinforced post increases strength against wind loading and other horizontally applied forces.



Echelon fence systems are protected to endure the elements and are maintenance free.

FENCE PRODUCTS



Echelon fence systems are backed by over 40 years of excellence in the fencing industry.



Ameristar is committed to providing products that meet the Buy American Act.



ECHELON PLUS[®] | 2, 3 & 4-RAIL OPTIONS | 4" AIR-SPACE

ECHELON PLUS


ECHELON®

ECHELON PLUS[®]

ORNAMENTAL ALUMINUM FENCE

ECHELON II®

STANDARD BOTTOM & FLUSH BOTTOM OPTIONS AVAILABLE



PANELS REQUIRE ASSEMBLY - Refer to construction specification & tables within this section for recommended post space by bracket type.

Classic, Majestic, Genesis & Warrior styles with 3 & 4-rail configurations as well as 4-rail puppy panel styles are IBC compliant. See specification for more details.

ECHELON[®] ECHELON PLUS[®] **ECHELON II**° ECHELON PLUS[®] | ORNAMENTAL ALUMINUM FENCE

ECHELON PLUS[®] | 3-RAIL PANELS | 4" AIR SPACE

STANDARD BOTTOM 8' PANEL LENGTH (91.75" actual width) 19 PICKETS PER PANEL


PANEL	ITEM NUMBER	WEIGHT	STOCKING
3'	1A <u>⊠⊗</u> 3368R1	23 lbs	\otimes
31⁄2'	1A <u>⊠⊗</u> 3428R1	25 lbs	Ø
4'	1A <u>⊠⊗</u> 3488R1	26 lbs	<u>CB MB GB WB RB</u>
5'	1A <u>⊠⊗</u> 3608R1	29 lbs	<u>CB MB GB WB RB</u>
6'	1A <u>⊠⊗</u> 3728R1	32 lbs	0

 $\mathbf{X} = FENCE STYLES AVAILABLE \mid \mathbf{C} = Classic \mathbf{M} = Majestic \mathbf{G} = Genesis$ W = Warrior R = Conqueror


 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON$ -Stocked product For details, see Ameristar's Sales Policy in the catalog guide.

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.









ECHELON PLUS[®] | 3-RAIL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL


PANEL	ITEM NUMBER	WEIGHT	STOCKING
3'	1A <u>⊠⊗</u> 3368FR1	23 lbs	\otimes
3½'	1A <u>⊠⊗</u> 3428FR1	25 lbs	\otimes
4'	1A <u>⊠⊗</u> 3488FR1	26 lbs	Ø
5'	1A <u>⊠⊗</u> 3608FR1	29 lbs	\otimes
6'	1A <u>⊠⊗</u> 3728FR1	32 lbs	\otimes

- $\mathbf{\underline{\boxtimes}} = FENCE STYLES AVAILABLE \mid \mathbf{\underline{C}} = Classic \quad \mathbf{\underline{M}} = Majestic \quad \mathbf{\underline{G}} = Genesis$ $\underline{\mathbf{W}} =$ Warrior $\underline{\mathbf{R}} =$ Conqueror
- $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.






GENESIS





WARRIOR



Effective: 09/01/21



ECHELON° ECHELON PLUS° ECHELON II° ECHELON PLUS° ORNAMENTAL ALUMINUM FENCE

ECHELON PLUS[®] | 3-RAIL PANELS WITH RINGS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

PANEL	ITEM NUMBER	WEIGHT	STOCKING
4'	1A <u>⊠⊗</u> 3488RR1	31 lbs	Ø
5'	1A <u>⊠⊗</u> 3608RR1	33 lbs	Ø
6'	1A <u>⊠⊗</u> 3728RR1	37 lbs	0


 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.



ECHELON PLUS® | 4-RAIL PANELS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

PANEL	ITEM NUMBER	WEIGHT	STOCKING
4'	1A <u>⊠⊗</u> 4488R1	32 lbs	0
5'	1A <u>⊠⊗</u> 4608R1	35 lbs	0
6'	1A <u>⊠⊗</u> 4728R1	37 lbs	<u>CB</u> <u>MB</u>


 $\boxed{\underline{\mathsf{W}}} = \textit{FENCE STYLES AVAILABLE} \mid \underline{\underline{\mathsf{C}}} = \text{Classic} \quad \underline{\underline{\mathsf{M}}} = \text{Majestic} \quad \underline{\underline{\mathsf{G}}} = \text{Genesis}$ $\underline{\underline{\mathsf{W}}} = \text{Warrior} \quad \underline{\underline{\mathsf{R}}} = \text{Conqueror}$

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$


$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.











ECHELON PLUS® | 4-RAIL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

PANEL	ITEM NUMBER	WEIGHT	STOCKING
4'	1A <u>⊠⊗</u> 4488FR1	32 lbs	\otimes
5'	1A <u>⊠⊗</u> 4608FR1	35 lbs	0
6'	1A <u>⊠⊗</u> 4728FR1	37 lbs	0

 $\underline{\boxtimes} = \textit{FENCE STYLES AVAILABLE} \mid \underline{C} = \text{Classic} \quad \underline{M} = \text{Majestic} \quad \underline{G} = \text{Genesis}$ $\underline{W} = \text{Warrior} \quad \underline{R} = \text{Conqueror}$

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$

S = NON-STOCKED PRODUCT For details, see Ameristar's Sales Policy in the catalog guide.

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.





GENESIS™





Effective: 09/01/21

AMERISTAR

ASSA ABLOY


ECHELON° ECHELON PLUS° ECHELON II° ECHELON PLUS° | ORNAMENTAL ALUMINUM FENCE

ECHELON PLUS[®] | 4-RAIL PANELS WITH RINGS | 4" AIR SPACE

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL

PANEL	ITEM NUMBER	WEIGHT	STOCKING
6'	1A <u>⊠⊗</u> 4728RR1	41 lbs	\otimes
 ⊗ = Color ⊗ = Non-Si	STYLES AVAILABLE \underline{C} = Class OPTIONS AVAILABLE \underline{B} = Bla FOCKED PRODUCT ails, see Ameristar's Sales Policy	ack <u>N</u> = Bronze <u>W</u> =	- White

NOTE: Classic, Majestic, Genesis & Warrior styles are IBC compliant.



ECHELON PLUS® | 2-RAIL POOL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 6' PANEL LENGTH (73.0625" actual width) | 15 PICKETS PER PANEL

PANEL	ITEM NUMBER	WEIGHT	STOCKING
4' P00L	1A <u>M</u> ⊗2486R1*	17 lbs	<u>MB</u> * <u>MN</u> *

 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{M} = Monarch*

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$


$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.



ECHELON PLUS® | 3-RAIL POOL PANELS | 4" AIR SPACE

FLUSH BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 PICKETS PER PANEL



Effective: 09/01/21

ECHELON° ECHELON PLUS° ECHELON II° ECHELON PLUS° | ORNAMENTAL ALUMINUM FENCE

ECHELON PLUS[®] | 3-RAIL PUPPY PANELS

STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 / 20† PICKETS PER PANEL


PANEL	ITEM NUMBER	WEIGHT	STOCKING
4'	1A <u>⊠⊗</u> 3488DR1	38 lbs	0
5'	1A <u>⊠⊗</u> 3608DR1	41 lbs	\otimes

 $\boxed{\boxtimes} = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis$

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON$ -Stocked product

For details, see Ameristar's Sales Policy in the catalog guide.






TM

ECHELON PLUS® | 4-RAIL PUPPY PANELS


STANDARD BOTTOM | 8' PANEL LENGTH (91.75" actual width) | 19 / 20† PICKETS PER PANEL



Effective: 09/01/21

ECHELON PLUS[®] | FINIALS & ADORNMENTS


FINIALS & PICKET PLUGS FOR GENESIS PANELS ONLY | ADORNMENTS FOR 3-RAIL PANELS ONLY



ECHELON PLUS® | CUSTOM FINISHES

WARRANTY ON CUT COMPONENTS VOID WITHOUT PROPER TOUCH-UP APPLICATION*

*For details & the guidelines for the proper 3-step process, see Ameristar's Sales Policy in the catalog guide



ECHELON PLUS® | BULK RAILS

RAILS AVAILABLE IN BOX QTY ONLY | 540 RAILS PER PALLET

	\sim
	$\langle \mathbf{x} \rangle$
6	\bigcirc
Se.	
Q.	

DESCRIPTION	PANEL HEIGHT	LENGTH	ITEM NUMBER	BOX QTY	BOX Weight		
ForoDunner Deil / Through Dunched	8'	91.75"	AC <u>⊗</u> R18R1	18	82 lbs		
ForeRunner Rail / Through Punched	6'	73.0625"	AC <u>⊗</u> R16R1	18	66 lbs		
Used for all rails on Classic, Genesis & Warrior style	s. Includes grommet	's & retaining roo	ls.				
	8'	91.75"	AM <u>⊗</u> R18R1	18	82 lbs		
ForeRunner Rail / Flush Top	6'	73.0625"	AM <u>⊗</u> R16R1	18	66 lbs		
	8'	91.75"	AMR <u>⊗</u> R18R1	18	82 lbs		
ForeRunner Ring Rail / Flush Top	6'	73.0625"	AMR <u>⊗</u> R16R1	18	66 lbs		
Used for top rails on Monarch, Majestic & Conq	ueror styles. Include	es retaining rods.					
FaveDurney Ding Dail / Through Durnehad	8'	91.75"	AR <u>⊗</u> R18R1	18	82 lbs		
ForeRunner Ring Rail / Through Punched	6'	73.0625"	AR <u>⊗</u> R16R1	18	66 lbs		
Used for second rail on all panels with rings. Includes grommets & retaining rods.							

 $\underline{\otimes}$ = **COLOR OPTIONS AVAILABLE** | **<u>B</u>** = Black **<u>N</u>** = Bronze **<u>W</u>** = White

ECHELON PLUS® | BULK PICKETS

PICKETS AVAILABLE IN BOX QTY ONLY

PANEL STYLES/PICKETS	PICKET DESCRIPTION	PICKET LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT	STOCKING
Classic / Majestic / Genesis	Full Length	46"	1A <u>⊠⊗</u> 348	114	65 lbs	<u>CB MB GB</u>
Classic / Majestic / Genesis	Full Length	58"	1A <u>⊠⊗</u> 360	114	83 lbs	<u>CB MB GB</u>
Classic / Majestic / Genesis	Full Length	70"	1A <u>⊠⊗</u> 472	114	99 lbs	MB
Conqueror	Full Length	46"	1A <u>LR</u> ⊗ 348	114	69 lbs	\otimes
Conqueror	Full Length	54"	1A <u>LR⊗</u> 354	114	69 lbs	Ø
Conqueror	Full Length	58"	1A <u>LR</u> ⊗ 360	114	69 lbs	\otimes
Conqueror	Full Length	70"	1A <u>LR</u> ⊗372	114	69 lbs	Ø
Majestic	Full Length	54"	1A <u>M⊗</u> 354	114	69 lbs	<u>MB</u>
Monarch	Full Length	48"	1A <u>M⊗</u> 248*	114	65 lbs	MB
Warrior	Short	43"	1A <u>₩</u> ⊗348	114	65 lbs	<u>WB</u>
Warrior	Short	55"	1A <u>₩</u> ⊗360	114	83 lbs	<u>WB</u>
Warrior	Short	67"	1A <u>₩</u> ⊗472	114	99 lbs	Ø
Conqueror	Short	43"	1A <u>R⊗</u> 348	114	61 lbs	Ø
Conqueror	Short	51"	1A <u>R⊗</u> 354	114	77 lbs	\otimes
Conqueror	Short	55"	1A <u>R⊗</u> 360	114	83 lbs	Ø
Conqueror	Short	67"	1A <u>R⊗</u> 472	114	99 lbs	\otimes

 $\underline{\mathbf{W}} = \mathbf{FENCE} \ \mathbf{STYLES} \ \mathbf{AVAILABLE} \ | \ \underline{\mathbf{C}} = \mathsf{Classic} \ \underline{\mathbf{M}} = \mathsf{Majestic} \ / \ \mathsf{Monarch}^* \ \underline{\mathbf{G}} = \mathsf{Genesis} \ \underline{\mathbf{W}} = \mathsf{Warrior} \ \underline{\mathbf{R}} = \mathsf{Conqueror}$

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$

 $\odot = NON$ -Stocked product

For details, see Ameristar's Sales Policy in the catalog guide. Note: Full length Classic pickets are used for the Warrior style.

* Flush bottom per pool requirements. Check pool code regulations in your installation area for specific requirements.

Effective: 09/01/21

AMERISTAR

ASSA ABLOY

ECHELON PLUS® | ALUMINUM SQUARE POSTS

		POST LENGTH	ITEM NUMBER	WEIGHT
		5' 9"	AP <u>⊗</u> 25069	5 lbs
	 2.5"sq. x .060 wall	6' 3"	AP <u>⊗</u> 25075	6 lbs
	with reinforced	6' 9"	AP <u>⊗</u> 25081	6 lbs
	internal web	7' 9"	AP <u>⊗</u> 25093	7 lbs
		8' 9"	AP <u>⊗</u> 25105	8 lbs
ALUMINUM POSTS		7'	AP <u>⊗</u> 30084	12 lbs
	3"sq. x .125 wall	8'	AP <u>⊗</u> 30096	14 lbs
		9'	AP <u>⊗</u> 30108	15 lbs
		10'	AP <u>⊗</u> 30120	17 lbs
	I	7'	AP <u>⊗</u> 40084N	31 lbs
	411 050 11	8'	AP <u>⊗</u> 40096N	36 lbs
	4"sq. x .250 wall	9'	AP <u>⊗</u> 40108N	40 lbs
		10'	AP <u>⊗</u> 40120N	43 lbs

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

ECHELON PLUS® | ORNAMENTAL STEEL SQUARE POSTS

		POST LENGTH	ITEM NUMBER	WEIGHT
		5'	P <u>⊗</u> 30060	20 lbs
		6'	P <u>⊗</u> 30072	24 lbs
	l 3"sq. x 12 ga.	7'	P <u>⊗</u> 30084	30 lbs
	J 34. ∧ 12 ga.	8'	P <u>⊗</u> 30096	34 lbs
		9'	P <u>⊗</u> 30108	39 lbs
STEEL POSTS	Li	10	P <u>⊗</u> 30120	43 lbs
	i	6'	P <u>⊗</u> 40072	39 lbs
		7'	P <u>⊗</u> 40084	47 lbs
	4"sq. x 11 ga.	8'	P <u>⊗</u> 40096	54 lbs
		9'	P <u>⊗</u> 40108	61 lbs
		10	P <u>⊗</u> 40120	67 lbs

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

Effective: 09/01/21

ECHELON PLUS® | BRACKETS & PANEL ACCESSORIES

AVAILABLE IN BAG QTY ONLY



		SIZE	ITEM NUMBER	BAG QTY	BOX QTY	WEIGHT
Swivel Bracket		1.5"	AB <u>⊗</u> 2	2	45 bags	.14 lbs
Bags packaged with:	Self-drilling	screws Swivel E	Bracket not to be used	l for fence syst	ems requiring IBC	C Compliance
Flat Mount Bracke	t	1.5"	AB <u>⊗</u> 1	2	75 bags	.12 lbs
Bags packaged with:	#14 x .75" se	elf-drilling screws	.25" x 2" carriage l	bolts .25" fla	ange nuts	
Thru-bolt required at	t nost connec	tion for IBC Comn	liance: not included	with AB⊗1.		
.25" x 3" Carriage Bo					n.	
Line Boulevard Bra	ncket	2.5" sq	AB <u>⊗</u> 3	2	50 bags	.41 lbs
For joining two adjace	ent panels in l					
, , ,	,					
End Boulevard Bra	rket	2.5" sq	AB⊗4	2	40 bags	.34 lbs
For joining post to las				-	40 bags	.04 103
0		0.5"			50.1	44.11
Corner Boulevard		2.5" sq	AB <u>⊗</u> 5	2	50 bags	.41 lbs
For joining two panels	s that meet at	right angles. Faste	eners included.			
Grommet Sets						
Grommet Sets		.75" sq.	<u>⊗</u> G7520P	20	n/a	.25 lbs
Grommet Sets		.75" sq.	<u>⊗</u> G7520P	20	n/a	.25 lbs
		.75" sq. 91.75"	<u>⊗</u> G7520P H533P	20	n/a 1	
		91.75"				.32 lbs
Grommet Sets Retaining Rod Galvanized rod / .125	" diameter		H533P	1	1	.25 lbs .32 lbs .25 lbs
Retaining Rod	" diameter	91.75"	H533P	1	1	.32 lbs
Retaining Rod	" diameter	91.75"	H533P	1	1	.32 lbs .25 lbs
Retaining Rod		91.75"	H533P H532P	1 1 ITEM N	1	.32 lbs .25 lbs
Retaining Rod	STANDAR	91.75" 71.375"	H533P H532P Cap size	1 1 ITEM № A⊗	1 1 IUMBER	.32 lbs .25 lbs Weight E/
Retaining Rod	STANDAR	91.75" 71.375" D FLAT CAP	H533P H532P CAP SIZE 2.5"sq	1 1 Item № A⊗ A⊗	1 1 IUMBER 600P	.32 lbs .25 lbs Weight E/ .2 lbs
Retaining Rod	STANDAR	91.75" 71.375" D FLAT CAP	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq	1 1 	1 1 IUMBER 600P 700P 800P	.32 lbs .25 lbs WEIGHT E/ .2 lbs .3 lbs .4 lbs
Retaining Rod	STANDARI Alum	91.75" 71.375" D FLAT CAP ninum	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq CAP SIZE	1 1 ——————————————————————————————————	1 1 IUMBER 600P 700P 800P	32 lbs 25 lbs 25 lbs 25 lbs 2 lbs 3 lbs 4 lbs 4 lbs
Retaining Rod	STANDARI Alum BALL	91.75" 71.375" D FLAT CAP ninum	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq CAP SIZE 2.5"sq	1 1 A⊗ A⊗ A⊗ ITEM N A⊗	1 1 IUMBER 600P 700P 800P IUMBER 513R1	.32 lbs .25 lbs .25 lbs .2 lbs .3 lbs .4 lbs .4 lbs .7 lbs
Retaining Rod	STANDARI Alum	91.75" 71.375" D FLAT CAP ninum	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq CAP SIZE 2.5"sq 3"sq 3"sq	1 1 A⊗ A⊗ A⊗ ITEM N A⊗ E	1 1 1 600P 700P 800P 1000 513R1 516R1	.32 lbs .25 lbs .25 lbs .3 lbs .3 lbs .4 lbs WEIGHT E/ .7 lbs .8 lbs
Retaining Rod	STANDARI Alum BALL	91.75" 71.375" D FLAT CAP ninum	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq CAP SIZE 2.5"sq	1 1 A⊗ A⊗ A⊗ ITEM N A⊗ E	1 1 IUMBER 600P 700P 800P IUMBER 513R1	.32 lbs .25 lbs .25 lbs .2 lbs .3 lbs .4 lbs .4 lbs .7 lbs
Retaining Rod	STANDARI Alum BALL Alum	91.75" 71.375" D FLAT CAP ninum	H533P H532P CAP SIZE 2.5"sq 3"sq 4"sq CAP SIZE 2.5"sq 3"sq 3"sq	1 1 A⊗ A⊗ A⊗ ITEM N A⊗ ITEM N A⊗ ITEM A A⊗ I	1 1 1 600P 700P 800P 1000 513R1 516R1	.32 lbs .25 lbs .25 lbs .3 lbs .3 lbs .4 lbs WEIGHT E/ .7 lbs .8 lbs

Effective: 09/01/21

AMERISTAR ASSA ABLOY

DECODIDTION

ECHELON PLUS® | FASTENERS

AVAILABLE IN BOX QUANTITIES ONLY



DESCRIPTION	ITEW NUWBER	BAG QIY	ITEM WEIGHT
#14 x .75" Tek Screw	H <u>⊗</u> 524P-50	50	.6 lbs
#10 x .75" Tek Screw	H <u>⊗</u> 539P-50	50	.35 lbs
#10 x .625" Phillips Head Tek Screw	H <u>⊗</u> 519P	1	.005 lbs
For setting angle on swivel brackets			
.25" x 2" Carriage Bolt	H <u>⊗</u> 516P	1	.03 lbs
.3125" x .75" Carriage Bolt	H <u>⊗</u> 582P	1	.025 lbs
.25" x 3" Carriage Bolt	6110P	1	.04 lbs
.25" x 3.5" Carriage Bolt	B6616P	1	.05 lbs
Oll a series of a last free base also to			

ITEM NIIMDED

BAC OTV

ITEM WEIGHT

2" carriage bolts for brackets

.75" carriage bolts for post base.

3" and 3.5" carriage bolts for flat mount bracket to post thru-bolt installation required for

IBC applications.



.25" x .28125" Drive Rivet	H <u>⊗</u> 559P	1	.002 lbs				
For use with flat mount brackets							
.25" Flange Nut	H <u>⊗</u> 541P-20	20	.3 lbs				
.3125" Hex Nuts	H <u>⊗</u> 613	1	.011 lbs				

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

Effective: 09/01/21

AMERISTAR

ECHELON PLUS[®] | CONSTRUCTION SPECIFICATION 32 31 19

ALUMINUM ORNAMENTAL FENCE SYSTEM - INTERNALLY SECURED

PART 1 - GENERAL

1.01 WORK INCLUDED

The contractor shall provide all labor, materials, and all necessary items for the installation of the Echelon Plus® ornamental aluminum fence system defined herein at (**specify project site**).

1.02 RELATED WORK

Section ____ - Earthwork Section ____ - Concrete

1.03 SYSTEM DESCRIPTION

The manufacturer shall supply a total ornamental aluminum fencing system of the Ameristar Echelon Plus[®] (specify Classic[™], Majestic[™], Genesis[™], Warrior[™], Conqueror[™], Monarch[™], Pool or Puppy) design. The system shall include all components (i.e., pickets, posts, rails, gates and hardware) required.

1.04 QUALITY ASSURANCE

The contractor shall provide laborers and supervisors who are thoroughly familiar with the type of construction involved and the materials specified.

1.05 REFERENCES

- ASTM B117 Practice for Operating Salt-Spray (Fog) Apparatus.
- ASTM B221 Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles and Tubes.
- ASTM D523 Test Method for Specular Gloss.
- ASTM D822 Practice for Conducting Tests on Paint and Related Coatings and Materials using Filtered Open-Flame Carbon-Arc Light and Water Exposure Apparatus.
- ASTM D1654 Test Method for Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments.
- ASTM D2244 Test Method for Calculation of Color Differences from Instrumentally Measured Color Coordinates.
- ASTM D2794 Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact).
- ASTM D3359 Test Method for Measuring Adhesion by Tape Test.
- ASTM D6695 Standard Practice for Xenon-Arc Exposures of Paint and Related Coatings
- IBC 2018 1607.8.1 Handrails and Guards

1.06 SUBMITTAL

The manufacturer's submittal package shall be submitted prior to installation to confirm compliance with all requirements for materials specified in this section.

1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials shall be checked to ensure that no damages occurred during shipping or handling. Materials shall be stored in such a manner to ensure proper ventilation and drainage and to protect against damage, weather, vandalism and theft.

PART 2 - MATERIALS 2.01 Manufacturer

The ornamental fence system shall conform to Ameristar's Echelon Plus aluminum ornamental fencing, (<u>specify Classic</u>, <u>Majestic, Genesis, Warrior, Conqueror, Monarch Pool, Majestic</u> <u>Pool, Conqueror Pool, Classic Puppy, Majestic Puppy, or</u> <u>Genesis Puppy</u>) (<u>specify 2-rail, 3-rail, 4-rail, 3-rail with rings</u>, <u>or 4-rail with rings</u>) style manufactured by Ameristar Perimeter Security USA Inc. in Tulsa, Oklahoma.

2.02 MATERIAL

A. Aluminum material for fence framework (i.e., tubular pickets, rails and posts) shall conform to the requirements of ASTM B221. The aluminum extrusions for posts and rails shall be Alloy and Temper Designation 6005-T5. The aluminum extrusions for pickets shall be Alloy and Temper Designation 6063-T52.

B. Pickets shall be 3/4" square x .045" thick. Horizontal rails shall be 1-1/4" x 1-7/16" Forerunner[™] profile with .090" top wall, .060" internal web, and .110" side walls. Forerunner rails shall be punched to accept pickets. The rail shall be constructed with an internal web providing a raceway for the pickets to be retained with a 1/8" retaining rod. The number of rails shall vary with the style, height and strength as determined by manufacturer. Fence posts and gate posts shall meet the minimum size requirements of Table 1.

C. Accessories: Aluminum castings shall be used for all post caps, scrolls, finials, and other miscellaneous hardware. Hinges and latches shall be fabricated from aluminum, stainless steel or composite materials.

2.03 FABRICATION

A. Pickets, rails and posts shall be pre-cut to specified lengths. ForeRunner rails shall be pre-punched to accept pickets. Grommets shall be inserted into the pre-punched holes in the rails and pickets shall be inserted through the grommets so that pre-drilled picket holes align with the internal upper raceway of the ForeRunner rails (Note: This can best be accomplished by using an alignment template). Retaining rods shall be inserted into each ForeRunner rail so that they pass through the predrilled holes in each picket, thus completing the panel assembly. Panels without rings shall be biasable up to a 12% change in grade.

Effective: 09/01/21

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM | ASSA ABLOY

ECHELON PLUS® | CONSTRUCTION SPECIFICATION 32 31 19

ALUMINUM ORNAMENTAL FENCE SYSTEM – INTERNALLY SECURED

B. The manufactured framework shall be subjected to the Ameristar thermal stratification coating process (hightemperature, in-line, multi-stage, and multi-layer) including, as a minimum, a six-stage pretreatment/wash and an electrostatic spray application of a polyester finish. The topcoat shall be a "no-mar" TGIC polyester powder coat finish with a minimum thickness of 2 mils (0.0508mm). The color shall be (<u>specify</u> <u>Black, Bronze, or White</u>). The stratification-coated framework shall be capable of meeting the performance requirements for each quality characteristic shown in Table 2.

C. Finish: All fence components shall be subject to a six-stage pretreatment/wash followed by an electrostatic spray application of a "no-mar" TGIC polyester powder coat finish with a minimum thickness of 2-4 mils. The color shall be (specify black, bronze or white).

D. Classic, Majestic, Genesis & Warrior styles with 3 & 4-rail configurations as well as 4-rail Puppy panel styles shall meet IBC compliance. Panel, post and bracket assemblies shall be subjected to structural performance testing according to Chapter 17 – Structural Tests and Special Inspections – International Building Code (IBC) 2018. Physical testing to be completed by accredited third party testing facility. Completed assembly shall demonstrate loading capacity of 2.5 times prescribed design loads found in section 1607.8.1, 1607.8.1.1 and 1607.8.1.2 of IBC 2018 for Handrails and Guards. IBC compliant fence system requirements detailed within Table 4.

E. Swing gates shall be fabricated using 1-1/4" x 1-7/16" Forerunner rail, 1.75" sq. x .125" gate ends, and 3/4" sq. x .080 pickets. Gates that exceed 6' in width will have a 1.75" sq. x .125" intermediate upright. All rail and upright intersections shall be joined by welding. All picket and rail intersections shall also be joined by welding.

PART 3 - EXECUTION

3.01 PREPARATION

All new installation shall be laid out by the contractor in accordance with the construction plans.

3.02 FENCE INSTALLATION

Fence post shall be spaced according to Table 3, plus or minus ½". For installations that must be raked to follow sloping grades, the post spacing dimension must be measured along the grade. Fence panels shall be attached to posts with brackets supplied by the manufacturer. Posts shall be set in

concrete footers of sufficient depth and diameter to meet project specific requirements and conforms to any federal, state, and/ or local codes. The "Earthwork" and "Concrete" sections of this specification shall govern material requirements for the concrete footer. Posts setting by other methods such as plated posts or grouted core-drilled footers are permissible only if shown by engineering analysis to be sufficient in strength for the intended application.

3.03 FENCE INSTALLATION MAINTENANCE

When cutting/drilling rails or posts adhere to the following steps to seal the exposed surfaces; 1) Remove all metal shavings from cut area. 2) Apply custom finish paint matching fence color. Failure to seal exposed surfaces per steps 1 & 2 above will negate warranty. Ameristar spray cans or paint pens shall be used to finish exposed surfaces; it is recommended that paint pens be used to prevent overspray. Use of non-Ameristar parts or components will negate the manufactures' warranty.

3.04 GATE INSTALLATION

Gate posts shall be spaced according to the manufacturers' gate drawings, dependent on standard out-to-out gate leaf dimensions and gate hardware selected. Type and quantity of gate hinges shall be based on the application; weight, height, and number of gate cycles. The manufacturers' gate drawings shall identify the necessary gate hardware required for the application. Gate hardware shall be provided by the manufacture of the gate and shall be installed per manufacturer's recommendations.

3.05 CLEANING

The contractor shall clean the jobsite of excess materials; posthole excavations shall be scattered uniformly away from posts

SEE REFERENCED TABLES ON THE FOLLOWING PAGE

Effective: 09/01/21

AMERISTAR ASSA ABLOY

ECHELON PLUS[®] | CONSTRUCTION SPECIFICATION 32 31 19

ALUMINUM ORNAMENTAL FENCE SYSTEM – INTERNALLY SECURED

	TABLE 1 - MINIMUM	SIZES FOR ECHELON PLUS POS	TS			
	FENCE POSTS	PANEL H	EIGHTS			
21⁄2" x 21⁄2"	x .060" w/reinforced web	Up to 6'	Height			
GATE LEAF		GATE HEIGHT				
UALE LEAF	up to & including 4'	over 4' up to & including 5'	over 5' up to & including 6'			
up to 4'	2½" x 2½" x .060 Alum.	3" x 3" x .120" Alum.	4" x 4" x .250" Alum. or 3" x 3" x 12 ga. Steel			
4'-1" to 6'	3" x 3" x .120" Alum.	4" x 4" x .250" Alum. or 3" x 3" x 12 ga. Steel	3" x 3" x 12 ga. Steel			
6'-1" to 8'	4" x 4" x .250" Alum. or 3" x 3" x 12 ga. Steel	4" x 4" x 11 ga. Steel	4" x 4" x 11 ga. Steel			

TABLE 2 - COATING PERFORMANCE REQUIREMENTS							
QUALITY CHARACTERISTICS ASTM TEST METHOD PERFORMANCE REQUIREMENTS							
ADHESION	D3359 – METHOD B	Adhesion (Retention of Coating) over 90% of test area (Tape and knife test).					
CORROSION RESISTANCE	B117 & D1654	Corrosion Resistance over 1,000 hours (Scribed per D1654; failure mode is accumulation of 1/8" coating loss from scribe or medium #8 blisters)					
IMPACT RESISTANCE	D2794	Impact Resistance over 60" Ib. (Forward impact using 0.625" ball).					
WEATHERING RESISTANCE	D822 D2244, D523 (60° method)	Weathering Resistance over 1,000 hours (Failure mode is 60% loss of gloss or color variance of more than 3 delta-E color units).					

TABLE 3 - ECHELON PLUS POST SPACING BY BRACKET TYPE									
SPAN		8' Nominal (91-3/4" Rail)							
POST SIZE	21⁄2"	2½" 2½" 3" 2½" 3"							
BRACKET TYPE	Echelon Plus Line Boulevard (ABB3)	Swi	n Plus vel* B2)	Echelon Plus Flat Mount (ABB1)					
POST SETTINGS <u>+</u> ½" 0.C.	95"	*95"	*95½"	95"	95½"				

SPAN	6' Nominal (73-1/16" Rail)							
POST SIZE	21⁄2"	21⁄2"	3"	21⁄2"	3"			
BRACKET TYPE	Echelon Plus Line Boulevard (ABB3)	Echelon Plus Swivel* (ABB2)		Flat I	on Plus Mount B1)			
POST SETTINGS <u>+</u> ½" 0.C.	76¼"	*76¼"	*76¾"	76¼" 76¾"				

*Note: When using ABB2 swivel brackets on either or both ends of a panel installation, care must be taken to ensure the spacing between post and adjoining pickets meets applicable codes. This will require trimming one or both ends of the panel.

TABLE 4 - ECHELON PLUS – IBC COMPLIANT SYSTEM REQUIREMENTS									
PANEL OPTIONS		POST OPTIONS		BRACKET OPTIONS					
Styles	Rail Configuration	Aluminum Post Options	Steel Post Options	Line Boulevard Brackets					
Classic		2.5" SQ x .060 wall w/ internal web 3" SQ x 12ga. 3" SQ x .125 wall 4" SQ x 12ga.		End Boulevard Brackets					
Majestic	3-Rail &			Corner Boulevard Brackets					
Genesis	4-Rail	Post Plate Options (anchorage by others)		*Flat Mount Brackets					
Warrior]	8" x 8" x 3/8" – for 2.5" posts		*Note: Flat Mount Brackets require a thru-bolt					
Puppy Panel	4-Rail	10" x 10" x 3/8" — for 3" posts		installation					

Panel, post, and bracket assemblies shall be subjected to structural performance testing according to Chapter 17 - Structural Tests and Special Inspections - International Building Code (IBC) 2018. Physical testing to be completed by accredited third party testing facility. Completed assembly shall demonstrate loading capacity of 2.5 times prescribed design loads found in section 1607.8.1, 1607.8.1.1 and 1607.8.1.2 of IBC 2018 for Handrails and Guards.

Effective: 09/01/21

ASSA ABLOY

AMERISTAR

ECHELON PLUS® | LIMITED LIFETIME WARRANTY

ALUMINUM ORNAMENTAL FENCE

Echelon Plus® Ornamental Aluminum Fence System (premium residential and light commercial) is manufactured from the highest quality materials by skilled craftsmen to meet the highest standards of workmanship in the industry. Extruded aluminum framework shall be subject to a six stage pretreatment/wash followed by an electrostatic spray application of a "no-mar" TGIC polyester powder coat finish, which provides the protection necessary to withstand adverse environmental conditions.

The powder coated surface on all Echelon Plus aluminum fence panels and posts is guaranteed under a limited lifetime warranty under normal and intended usage, against cracking, peeling, chipping, blistering and corroding resulting in structural failure, without cause. Normal and intended usage does not include physical damage or abrasion to the protective coating.

Echelon Plus Ornamental Aluminum Fencing System framework is also guaranteed for the same period of time against defects in workmanship or materials.

Should any ornamental aluminum fence framework manufactured by Ameristar Fence Products fail in accordance with any of the above conditions, Ameristar Fence Products warrants to the original purchaser their redemption through replacement or renewal. The decision as to which method of redemption is allowed is solely at the discretion of Ameristar.

Notice of failure under the conditions of this warranty shall be sent to Ameristar Fence Products or it authorized representative, in writing, together with proof of purchase and shall specify the nature of the defect and when it was first observed. If contractor uses non Ameristar parts/components this will negate warranty. Should the fence be improperly installed, Ameristar Fence Products shall not be responsible for guaranteed performance or appearance of the material. Neither does this guarantee apply when failure or damage is due to improper use or application, abuse or misuse, vandalism or acts of God. Ameristar Fence Products reserves the right to inspect the material to determine validity of the claim.

Upon validation of the claim by Ameristar Fence Products or its authorized representative, redemption by replacement or renewal shall be made by Ameristar Fence Products. Reimbursement for the costs of removal and installation of materials are not included in the guarantee, nor will Ameristar Fence Products provide those services.

The above constitutes the complete warranty by the manufacturer.No other agreement, written or implied, is valid. Ameristar Fence Products does not authorize any other person or agent to make any other express warranties. Ameristar Fence Products neither assumes nor authorizes any other person or agent to assume any other liability in connection with Echelon Plus Residential Ornamental Aluminum Fencing System. Some jurisdictions do not allow limitations on how long an implied warranty lasts, nor do they allow an exclusion or limitation of incidental or consequential damages; therefore, the limitations and exclusions noted herein may not apply.


ECHELON*ECHELON PLUS*ECHELON II*ECHELON PLUS*ORNAMENTAL ALUMINUM FENCE


ECHELON II[®] ECHELON PLUS[®] ECHELON[®] **ECHELON PLUS** | ORNAMENTAL ALUMINUM FENCE

Effective: 09/01/21

AMERISTAR ASSA ABLOY

4.38






Effective: 09/01/21

AMERISTAR ASSA ABLOY


ECHELON PLUS® | DOUBLE SWING GATE SPECIFICATIONS

1.75"sq x .125" wall GATE ENDS | 1.25" ForeRunner™ RAILS | .75"sq x .080" wall PICKETS



			BOL	AGBD T-ON HING	E KITS		AGBD Hinge K Uprigi	IT WITH —		CGBD Mmercial T W/ Stroi	. HINGE -
	OPENING	LEAF WIDTH*	HC	LC	Pd	HC	LC	Pd	HC	LC	Pd
	7'	40"	2"	2"	86"	2.375"	2"	86.75"	1"	2"	84"
	8'	49.5"	2"	2"	105"	2.375"	2"	105.75"	1"	2"	103"
DOUBLE SWING	10'	58.75"	2"	2"	123.5"	2.375"	2"	124.25"	1"	2"	121.5"
HARDWARE KITS & POST Interspaces	12'	68"	2"	2"	142"	2.375"	2"	142.75"	1"	2"	140"
											4.4.

$$\begin{split} \textbf{W} &= \text{width } (x2)^* ~|~ \textbf{HC} = \text{hinge clearance } (x2) ~|~ \textbf{LC} = \text{latch clearance } |~ \textbf{P_d} = \text{gate post spacing}^{**} \\ & * \textit{From outside to outside } ~|~ *^*\textit{From inside to inside} \end{split}$$



Effective: 09/01/21


AMERISTAR


4.40


ECHELON PLUS[®] | 3-RAIL SINGLE SWING GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3½'	40"	1A <u>⊠⊗</u> 336-42	7	19 lbs	0
3'	4'	49.5"	1A <u>⊠⊗</u> 336-48	9	24 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 336-60	11	28 lbs	\otimes
L	6'	68"	1A <u>⊠⊗</u> 336-72	13	31 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 342-42	7	21 lbs	\otimes
31/2'	4'	49.5"	1A <u>⊠⊗</u> 342-48	9	26 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 342-60	11	30 lbs	\otimes
L	6'	68"	1A <u>⊠⊗</u> 342-72	13	33 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 348-42	7	23 lbs	\otimes
4'	4'	49.5"	1A <u>⊠⊗</u> 348-48	9	28 lbs	Ø
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 348-60	11	32 lbs	\otimes
L	6'	68"	1A <u>⊠⊗</u> 348-72	13	36 lbs	\otimes
	3½'	40"	1A <u>⊠⊗</u> 360-42	7	27 lbs	Ø
5'	4'	49.5"	1A <u>⊠⊗</u> 360-48	9	32 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 360-60	11	36 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 360-72	13	41 lbs	Ø
	31⁄2'	40"	1A <u>⊠⊗</u> 372-42	7	31 lbs	Ø
6'	4'	49.5"	1A <u>⊠⊗</u> 372-48	9	36 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 372-60	11	40 lbs	\otimes
L	6'	68"	1A <u>⊠⊗</u> 372-72	13	46 lbs	\otimes







 $\underline{\boxtimes}$ = **FENCE STYLES AVAILABLE** | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior \underline{R} = Conqueror

TO PLACE YOUR ORDER CALL 888-333-3422 | VISIT AMERISTARFENCE.COM |

 \otimes = **COLOR OPTIONS AVAILABLE** | **B** = Black **N** = Bronze **W** = White

 $\odot = \mathit{NON-STOCKED} \ \mathit{PRODUCT}$

For details, see Ameristar's Sales Policy in the catalog guide.


Effective: 09/01/21

4.41

ECHELON PLUS[®] | 3-RAIL SINGLE SWING GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED


	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 336-42F	7	19 lbs	\otimes
3'	4'	49.5"	1A <u>⊠⊗</u> 336-48F	9	24 lbs	0
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 336-60F	11	28 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 336-72F	13	31 lbs	0
	3½'	40"	1A <u>⊠⊗</u> 342-42F	7	21 lbs	0
31/2'	4'	49.5"	1A <u>⊠⊗</u> 342-48F	9	26 lbs	0
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 342-60F	11	30 lbs	0
	6'	68"	1A <u>⊠⊗</u> 342-72F	13	33 lbs	0
	3½'	40"	1A <u>⊠⊗</u> 348-42F	7	23 lbs	0
4'	4'	49.5"	1A <u>⊠⊗</u> 348-48F	9	28 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 348-60F	11	32 lbs	0
	6'	68"	1A <u>⊠⊗</u> 348-72F	13	36 lbs	0
	3½'	40"	1A <u>⊠⊗</u> 360-42F	7	27 lbs	0
5'	4'	49.5"	1A <u>⊠⊗</u> 360-48F	9	32 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 360-60F	11	36 lbs	0
	6'	68"	1A <u>⊠⊗</u> 360-72F	13	41 lbs	0
	3½'	40"	1A <u>⊠⊗</u> 372-42F	7	31 lbs	0
6'	4'	49.5"	1A <u>⊠⊗</u> 372-48F	9	36 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 372-60F	11	40 lbs	0
	6'	68"	1A <u>⊠⊗</u> 372-72F	13	46 lbs	0







WARRIOR



 $\underline{\boxtimes} = FENCE STYLES AVAILABLE \mid \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior \underline{R} = Conqueror$

 $\underline{\otimes}$ = **COLOR OPTIONS AVAILABLE** | **<u>B</u>** = Black **<u>N</u>** = Bronze **<u>W</u>** = White

$\odot = \textit{NON-STOCKED PRODUCT}$


For details, see Ameristar's Sales Policy in the catalog guide.

* Flush bottom per pool requirements. Check pool code regulations in your installation area for specific requirements.

ECHELON PLUS® | 3-RAIL SINGLE SWING GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 348-42R	7	25 lbs	\otimes
4'	4'	49.5"	1A <u>⊠⊗</u> 348-48R	9	31 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 348-60R	11	35 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 348-72R	13	40 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 360-42R	7	29 lbs	0
5'	4'	49.5"	1A <u>⊠⊗</u> 360-48R	9	35 lbs	\otimes
IEIGHT	5'	58.75"	1A <u>⊠⊗</u> 360-60R	11	39 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 360-72R	13	45 lbs	\otimes
	3½'	40"	1A <u>⊠⊗</u> 372-42R	7	33 lbs	0
6'	4'	49.5"	1A <u>⊠⊗</u> 372-48R	9	39 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 372-60R	11	43 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 372-72R	13	49 lbs	\otimes



 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White


 $\odot = NON-STOCKED PRODUCT$


For details, see Ameristar's Sales Policy in the catalog guide.

ECHELON PLUS® | 4-RAIL SINGLE SWING GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 448-42	7	25 lbs	0
4'	4'	49.5"	1A <u>⊠⊗</u> 448-48	9	29 lbs	Ø
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 448-60	11	35 lbs	0
	6'	68"	1A <u>⊠⊗</u> 448-72	13	40 lbs	Ø
	31⁄2'	40"	1A <u>⊠⊗</u> 460-42	7	29 lbs	0
5'	4'	49.5"	1A <u>⊠⊗</u> 460-48	9	34 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 460-60	11	39 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 460-72	13	45 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 472-42	7	33 lbs	0
6'	4'	49.5"	1A <u>⊠⊗</u> 472-48	9	39 lbs	Ø
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 472-60	11	45 lbs	Ø
	6'	68"	1A <u>⊠⊗</u> 472-72	13	52 lbs	\otimes









CONQUEROR

 $\underline{\boxtimes} = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior \underline{R} = Conqueror$

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White


 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

ECHELON PLUS[®] | 4-RAIL SINGLE SWING GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 448-42F	7	25 lbs	\otimes
4'	4'	49.5"	1A <u>⊠⊗</u> 448-48F	9	29 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 448-60F	11	35 lbs	\otimes
L	6'	68"	1A <u>⊠⊗</u> 448-72F	13	40 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 460-42F	7	29 lbs	\otimes
5'	4'	49.5"	1A <u>⊠⊗</u> 460-48F	9	34 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 460-60F	11	39 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 460-72F	13	45 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 472-42F	7	33 lbs	\otimes
6'	4'	49.5"	1A <u>⊠⊗</u> 472-48F	9	39 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 472-60F	11	45 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 472-72F	13	52 lbs	\otimes











 $\underline{\boxtimes} = FENCE STYLES AVAILABLE \mid \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior \underline{R} = Conqueror$

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$

 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide

Effective: 09/01/21

AMERISTAR'

ASSA ABLOY

ECHELON PLUS® | 4-RAIL SINGLE SWING GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED


	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 472-42R	7	25 lbs	\otimes
6'	4'	49.5"	1A <u>⊠⊗</u> 472-48R	9	31 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 472-60R	11	35 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 472-72R	13	40 lbs	\otimes

 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON$ -Stocked product

For details, see Ameristar's Sales Policy in the catalog guide.



GENESIS" WARRIOR

ECHELON PLUS[®] | 2-RAIL SINGLE SWING POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3½' POOL	40"	1A <u>M ⊗</u> 248-42*	7	25 lbs	Ø
4'	4' POOL	49.5"	1A <u>M ⊗</u> 248-48*	9	31 lbs	\otimes
HEIGHT	5' POOL	58.75"	1A <u>M ⊗</u> 248-60*	11	35 lbs	\otimes
	6' POOL	68"	1A <u>M ⊗</u> 248-72*	13	40 lbs	\otimes

 $\boxed{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{M} = Monarch*

 $\underline{\otimes}$ = **COLOR OPTIONS AVAILABLE** | $\underline{\mathbf{B}}$ = Black $\underline{\mathbf{N}}$ = Bronze $\underline{\mathbf{W}}$ = White


 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

ECHELON PLUS[®] | 3-RAIL SINGLE SWING POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3½' POOL	40"	1A <u>⊠⊗</u> 354-42	7	29 lbs	\otimes
	4' POOL	49.5"	1A <u>⊠⊗</u> 354-48	9	35 lbs	\otimes
	5' POOL	58.75"	1A <u>⊠⊗</u> 354-60	11	39 lbs	\otimes
4½'	6' POOL	68"	1A <u>⊠⊗</u> 354-72	13	45 lbs	Ø
IEIGHT	3½' POOL	40"	1A <u>M⊗</u> 354-42R	7	29 lbs	Ø
	4' POOL	49.5"	1A <u>M⊗</u> 354-48R	9	35 lbs	\otimes
	5' POOL	58.75"	1A <u>M⊗</u> 354-60R	11	39 lbs	Ø
	6' POOL	68"	1A <u>M⊗</u> 354-72R	13	45 lbs	\otimes





 $\mathbf{X} = FENCE STYLES AVAILABLE \mid \mathbf{M} = Majestic \mathbf{R} = Conqueror$

 \bigotimes = **COLOR OPTIONS AVAILABLE** | **B** = Black **N** = Bronze **W** = White

 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

ECHELON[®] ECHELON PLUS[®] ECHELON II[®] **ECHELON PLUS**[•] | ORNAMENTAL ALUMINUM FENCE

ECHELON PLUS[®] | 3-RAIL SINGLE SWING PUPPY GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	31⁄2'	40"	1A <u>⊠⊗</u> 348-42D	7	27 lbs	\otimes
4'	4'	49.5"	1A <u>⊠⊗</u> 348-48D	9	33 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 348-60D	11	HE 37 Ibs	\otimes
	6'	68"	1A <u>⊠⊗</u> 348-72D	13	43 lbs	\otimes
	31⁄2'	40"	1A <u>⊠⊗</u> 360-42D	7	31 lbs	0
5'	4'	49.5"	1A <u>⊠⊗</u> 360-48D	9	37 lbs	\otimes
HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 360-60D	11	42 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 360-72D	13	48 lbs	\otimes



GENESIS

CLASSIC

 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White


 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.


ECHELON PLUS[®] | 4-RAIL SINGLE SWING PUPPY GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
6 " Height	31⁄2'	40"	1A <u>⊠⊗</u> 472-42D	7	37 lbs	0
	4'	49.5"	1A <u>⊠⊗</u> 472-48D	9	44 lbs	\otimes
	5'	58.75"	1A <u>⊠⊗</u> 472-60D	11	51 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 472-72D	13	59 lbs	\otimes









 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.



ECHELON PLUS[®] | SINGLE SWING GATE SPECIFICATIONS

2"sq x .25" wall GATE ENDS | 1" x 2" x .25" wall CHANNEL RAILS | .75"sq x .125" wall PICKETS | 3.5' - 7' NOMINAL OPENINGS




			TCSGK TRU-CLOSE Hinge Kit			EGBS25 / EI Olt-on hard Kits			G BS25A / E Ameristar I Bolt-on hin	.OCK/
OPENING	LEAF WIDTH*	HC	LC	Ps	HC	LC	Ps	HC	LC	Ps
3.5'	40"	.75"	.75"	41.5"	2"	2"	44"	2"	.625"	42.625"
4'	49.5"	.75"	.75"	51"	2"	2"	53.5"	2"	.625"	52.125"
5'	58.75"	.75"	.75"	60.25"	2"	2"	62.75"	2"	.625"	61.375"
6'	68"	.75"	.75"	69.5"	2"	2"	72"	2"	.625"	70.625"
7'	86.75"	.75"	.75"	88.25"	2"	2"	90.75"	2"	.625"	89.375"

SINGLE SWING Hardware Kits & Pos⁻ Interspaces


 $W = width^* | HC = hinge clearance | LC = latch clearance | P_S = gate post spacing^{**}$

* From outside to outside | ** From inside to inside



Effective: 09/01/21

AMERISTAR



ECHELON°

ECHELON PLUS°

ECHELON II[®]

 $\underline{\otimes} = COLOR OPTIONS AVAILABLE | \underline{B} = Black \underline{N} = Bronze \underline{W} = White$

 $\odot = \mathit{NON-STOCKED} \ \mathit{PRODUCT}$


For details, see Ameristar's Sales Policy in the catalog guide.



ECHELON PLUS® | 3-RAIL SINGLE SWING ARCHED GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3.5'	40"	1A <u>⊠⊗</u> 348-42AR	7	44 lbs	\otimes
4" Height	4'	49.5"	1A <u>⊠⊗</u> 348-48AR	9	50 lbs	\otimes
	5'	58.75"	1A <u>⊠⊗</u> 348-60AR	11	58 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 348-72AR	13	65 lbs	\otimes
	7'	86.75"	1A <u>⊠⊗</u> 348-84AR	17	79 lbs	\otimes
	3.5'	40"	1A <u>⊠⊗</u> 360-42AR	7	51 lbs	0
	4'	49.5"	1A <u>⊠⊗</u> 360-48AR	9	59 lbs	\otimes
5' HEIGHT	5'	58.75"	1A <u>⊠⊗</u> 360-60AR	11	68 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 360-72AR	13	75 lbs	\otimes
	7'	86.75"	1A <u>⊠⊗</u> 360-84AR	17	92 lbs	\otimes





 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON$ -Stocked product

For details, see Ameristar's Sales Policy in the catalog guide.

Effective: 09/01/21

AMERISTAR ASSA ABLOY

ECHELON PLUS® | 4-RAIL SINGLE SWING ARCHED GATES

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED


	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
6' HEIGHT	31⁄2'	40"	1A <u>⊠⊗</u> 472-42A	7	57 lbs	\otimes
	4'	49.5"	1A <u>⊠⊗</u> 472-48A	9	66 lbs	\otimes
	5'	58.75"	1A <u>⊠⊗</u> 472-60A	11	74 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 472-72A	13	83 lbs	\otimes
	7'	86.75"	1A <u>⊠⊗</u> 472-84A	17	101 lbs	\otimes


 $\mathbf{X} = FENCE STYLES AVAILABLE \mid \mathbf{C} = Classic \mathbf{M} = Majestic \mathbf{G} = Genesis \mathbf{W} = Warrior \mathbf{R} = Conqueror$

 $\underline{\otimes}$ = **COLOR OPTIONS AVAILABLE** | **<u>B</u>** = Black **<u>N</u>** = Bronze **<u>W</u>** = White

$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.








ECHELON PLUS® | 4-RAIL SINGLE SWING ARCHED GATES WITH RINGS

STANDARD BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
6' HEIGHT	31⁄2'	40"	1A <u>⊠⊗</u> 472-42AR	7	59 lbs	\otimes
	4'	49.5"	1A <u>⊠⊗</u> 472-48AR	9	68 lbs	\otimes
	5'	58.75"	1A <u>⊠⊗</u> 472-60AR	11	77 lbs	\otimes
	6'	68"	1A <u>⊠⊗</u> 472-72AR	13	86 lbs	\otimes
	7'	86.75"	1A <u>⊠⊗</u> 472-84AR	17	105 lbs	\otimes




 $\underline{\boxtimes}$ = FENCE STYLES AVAILABLE | \underline{C} = Classic \underline{M} = Majestic \underline{G} = Genesis \underline{W} = Warrior

 $\underline{\otimes} = \textbf{COLOR OPTIONS AVAILABLE} \mid \underline{B} = \text{Black } \underline{N} = \text{Bronze } \underline{W} = \text{White}$

$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.



Effective: 09/01/21

AMERISTAR

ECHELON PLUS[®] | 2-RAIL SINGLE SWING ARCHED POOL GATES

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
	3½' POOL	40"	1A <u>M⊗</u> 248-42A	7	38 lbs	\otimes
	4' P00L	49½"	1A <u>M⊗</u> 248-48A	9	44 lbs	\otimes
4 Height	5' POOL	58¾"	1A <u>M⊗</u> 248-60A	11	50 lbs	\otimes
	6' POOL	68"	1A <u>M⊗</u> 248-72A	13	56 lbs	\otimes
	7' POOL	86¾"	1A <u>M⊗</u> 248-84A	17	68 lbs	\otimes

 $\mathbf{X} = FENCE STYLES AVAILABLE \mid \mathbf{M} = Monarch$

 $\underline{\otimes}$ = **COLOR OPTIONS AVAILABLE** | \underline{B} = Black \underline{N} = Bronze \underline{W} = White

$\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.

ECHELON PLUS[®] | 3-RAIL SINGLE SWING ARCHED POOL GATES

TO PLACE YOUR ORDER CALL 888-333-3422 VISIT AMERISTARFENCE.COM

FLUSH BOTTOM | GATE HARDWARE NOT INCLUDED

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
	3½' POOL	40"	1A <u>⊠⊗</u> 354-42A	7	45 lbs	Ø	
41⁄2' HEIGHT	4' POOL	49½"	1A <u>⊠⊗</u> 354-48A	9	53 lbs	\otimes	
	5' POOL	58¾"	1A <u>⊠⊗</u> 354-60A	11	60 lbs	\otimes	
	6' POOL	68"	1A <u>⊠⊗</u> 354-72A	13	67 lbs	\otimes	
	7' POOL	86¾"	1A <u>⊠⊗</u> 354-84A	17	81 lbs	\otimes	
	3½' POOL	40"	1A <u>⊠⊗</u> 354-42AR	7	45 lbs	\otimes	
	4' P00L	49½"	1A <u>⊠⊗</u> 354-48AR	9	53 lbs	\otimes	
	5' POOL	58¾"	1A <u>⊠⊗</u> 354-60AR	11	60 lbs	\otimes	
	6' POOL	68"	1A <u>⊠⊗</u> 354-72AR	13	67 lbs	\otimes	
	7' POOL	86¾"	1A <u>⊠⊗</u> 354-84AR	17	81 lbs	\otimes	







 $\mathbf{X} = FENCE STYLES AVAILABLE \mid \mathbf{M} = Majestic \mathbf{R} = Conqueror$

 $\underline{\otimes} =$ *COLOR OPTIONS AVAILABLE* | $\underline{B} =$ Black $\underline{N} =$ Bronze $\underline{W} =$ White

 $\odot = NON-STOCKED PRODUCT$

For details, see Ameristar's Sales Policy in the catalog guide.